

## Seat Belt for Forklift

Forklift Seat Belts - This guideline reason is to be able to describe the Regulation necessities for the application of operator restraints or seatbelts on forklifts. It is the employers' responsibility to be able to make certain that each machine, piece of equipment and device inside the workplace is selected and used properly and worked according to the manufacturer's directions.

Regarding their design, maintenance, inspection, fabrication and use Rough Terrain lift trucks should satisfy the guidelines of ANSI Standard ASME B56.6-1992.

Side boom tractors and mobile machinery together with a Rollover Protective Structure, or ROPS for short, have to include seat belts that meet the requirements of the Society of Automotive Engineers, or SAE, Standard J386 JUN93, Operator Restraint System for Off-Road Work Machines. If whichever mobile equipment has seat belts required by law, the operator and subsequent passengers need to make sure they utilize the belts each time the vehicle is in motion or engaged in operation for the reason that this could cause the equipment to become unstable and therefore, unsafe.

If a seat belt or different driver restraint is needed on a forklift.

While working a lift truck, the seat belt requirements would depend on some factors. Contributing factors to this determination might include whether or not the the forklift is equipped together with a Rollover Protective Structure, the kind of forklift itself and the year the forklift was manufactured. The manufacturer's directions and the requirements of the applicable standard are referenced in the Regulation.

With regards to to a driver restraint device, enclosure or system, ANSI Standard ASME B56.1-1993 regarding powered industrial trucks, is intended to be able to help the operator in lowering the risk of entrapment of the head and/or torso between the truck and the ground in the event of a tip over. The restraint device or system could include a seat belt, while a seat belt is not essentially a part of such device or system.